



~~CONFIDENTIAL~~ @ \$6°

Q&A

Ä

0

~~SECRET~~

02 0978

K

2 3

$$\forall \epsilon \in]0, 1[\downarrow$$

5

50

 Σ $\mathbb{C}^\div$

< 30

$\bar{u}d$ g^2 π q^+ g^2 π 0^+

53 54

15

✓

3

$$\tilde{A} < \tilde{B} \Rightarrow \tilde{A} + \tilde{C} < \tilde{B} + \tilde{C}$$

2

10 $C_H > |C - G| \frac{1}{10} \frac{1}{5} \frac{1}{5}$,

Q

~# G

0/4. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

--	--

